

RECEIVED  
N.C. Dept. of EHNR

MARCH 9, 1993

MAR 12 1993

Winston-Salem  
Regional Office

OWNER:

Brinson Diesel Sales & Service  
P. O. Drawer 2514  
High Point, N. C. 27261

JOBSITE:

North State Telephone Co.  
500 N. Hamilton St.  
High Point, N. C.

Removal of 1 - 2,000 gallon gasoline tank.

Removal Date: January 14, 1993

Samples were collected at a depth of 10'4" below land surface.

Samples were collected from the floor of the excavation.

The tank was buried at a depth of 8'4" (from land surface to bottom of tank.)

The samples were collected from backhoe bucket directly into glass vials.

The samples were preserved and transported in Freeze/Safe insulated container with ice.

Sample #1 was collected 2:00 PM - 1-14-93

Sample #2 was collected 2:10 PM - 1-14-93

Sample #3 was collected 3:00 PM - 1-14-93

All samples were delivered to laboratory 11:45 AM - Jan. 18, 1993.

MARCH 9, 1993

OWNER:

Brinson Diesel Sales & Service

P. O. Drawer 2514

High Point, N. C. 27261

JOBSITE:

North State Telephone Co.

500 N. Hamilton St.

High Point, N. C.

There was some evidence of contaminated soil. The soil was removed before samples were taken.

The soil was taken to Cunningham Brickyard. The manifest for the contaminated soil is enclosed.



State of North Carolina  
Department of Environment, Health and Natural Resources  
Winston-Salem Regional Office

James G. Martin, Governor  
William W. Cobey, Jr., Secretary

DIVISION OF ENVIRONMENTAL MANAGEMENT  
GROUNDWATER SECTION

Margaret Plemmons Foster  
Regional Manager

Dec. 11, 1992

Brunson Diesel Sales, Inc.  
P.O. Drawer 2514  
Hickory NC 27261

Dear Sir:

This letter is to acknowledge your Notification of Tank Closure as received Dec. 4, 1992 and filed as North State Telephone. All future correspondence must contain the file name as well as address and county in the subject to ensure its receipt into our filing system.

The results of the required assessment (NCAC Title 15A Subchapter 2N Section .0803 and 40 CFR Part 280.72) should be submitted to this office no later than thirty (30) days after the tank is closed. If there is evidence of a release or suspected release, it must be reported within twenty-four (24) hours.

Also, please remember that to permanently close a tank, owners and operators must empty and clean it by removing all liquids and accumulated sludges as required under 15A 2N .0802 and 40 CFR 280.71(b).

Groundwater Section staff will be conducting random site visits to ensure that underground storage tank closures are conducted as required in 15A 2N .0802 and .0803 and 40 CFR 280.71 and 280.72. Any violations documented may be submitted for enforcement action.

Enclosed is an attachment that is to be used for the information required for closure assessment. You may contact Kelly Gage or Sharon Cihak at (919) 373-7565 if you have any questions concerning these requirements.

Sincerely,

W. Waddell Watters

W. Waddell Watters  
Hydrogeologist II

WWW/ahl

Enclosure

cc: WSRO

Seague Pump

8025 North Point Boulevard, Suite 100, Winston-Salem, N.C. 27106-3203 • Telephone 919-896-7007 • Fax 919-896-7005

An Equal Oppor

Affirmative Action Employer

# Notice of Intent to Permanently Close Underground Storage Tank(s)

FOR  
TANKS  
IN  
NC

North Carolina - Department of Environment, Health, & Natural Resources  
Division of Environmental Management - Groundwater Section - U.S.T.  
P.O. Box 27687  
Raleigh, NC 27611 (919)733-8303

State Use Only

I. D. Number DEC 4 1992

Date Received

Winston-Salem

## INSTRUCTIONS

Please complete and return thirty (30) days prior to permanently closing tank(s).

Regional Office

### I. OWNERSHIP OF TANK(S)

### II. LOCATION OF TANK(S)

Tank Owner Name: Brinson Diesel Sales/Serv. Facility Name or Company: North State Telephone: \_\_\_\_\_  
(Corporation, Individual, Public Agency, or Other Entry)  
Street Address: P.O. Drawer 2514 Street Address or State Road: 500 Hamilton St.  
County: Guilford County: Guilford  
City: High Point State: N.C. Zip Code: 27261 City: High Point State: N.C. Zip Code: 27260  
Telephone Number (Area Code): (919) 884-2229 Telephone Number (Area Code): \_\_\_\_\_

### Contact Person

Name: Carlyle M. Teague Job Title: Contractor Telephone Number: (919) 882-2916

### TANK REMOVAL OR CLOSURE IN PLACE

1. Contact Local Fire Marshall.
2. Plan the Closure Event.
3. Make Site Soil Assessments.
4. Remove Tanks or Close in Place in a Safe and Secure Manner Per API Pubs. "2015 Cleaning" and "1604 Removal & Disposal".
5. Provide a sketch Locating Tanks and Soil Tests.
6. Keep Records for 3 Years.

### TANK(S) CLOSURE OPERATIONS TO BE PERFORMED BY:

(Contractor) Name: Teague Pump Co., Inc.  
Address: P.O. Box 5512 State High Point, N.C. Zip Code 27262  
Contact: Carlyle M. Teague Phone: (919) 882-2916

### TANK(S) SCHEDULED FOR CLOSURE OR TO BE CLOSED

TANK NUMBER	TANK ID #	TANK CAPACITY	LAST CONTENTS	CLOSURE METHOD	
				Remove <input type="checkbox"/>	Close in Ground <input type="checkbox"/>
Tank 1	#1	2,000 gal.	Gasoline	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Tank 2				<input type="checkbox"/>	<input type="checkbox"/>
Tank 3				<input type="checkbox"/>	<input type="checkbox"/>
Tank 4				<input type="checkbox"/>	<input type="checkbox"/>
Tank 5				<input type="checkbox"/>	<input type="checkbox"/>
Tank 6				<input type="checkbox"/>	<input type="checkbox"/>
Tank 7				<input type="checkbox"/>	<input type="checkbox"/>
Tank 8				<input type="checkbox"/>	<input type="checkbox"/>
Tank 9				<input type="checkbox"/>	<input type="checkbox"/>

Name and Official title of Owner's Authorized Representative

Teague Pump Co., Inc./Carlyle M. Teague

"Scheduled Removal Date: 1-5-93

Signature: Carlyle M. Teague /w/

Date Submitted: 12-2-92

\*If scheduled removal date changes, Forty-eight hours verbal notice of tank removal is required.

GW/UST-3

White Copy - Owner

Blue Copy - Central Office

Pink Copy - Regional Office

Pink Copy - Central Files

# Site Investigation Report For Permanent Closure of 0-551

FOR  
TANKS  
IN  
NC

## Return Completed Form To:

The appropriate DEM Regional Office according to the county of the facility's location.  
[SEE MAP ON REVERSE SIDE OF OWNER'S COPY (BLUE) FOR REGIONAL OFFICE ADDRESS].

State Use Only

I.D. Number \_\_\_\_\_

Date Received \_\_\_\_\_

## INSTRUCTIONS

Please complete and return within (30) days following completion of site investigation.

### I. Ownership of Tank(s)

### II. Location of Tank(s)

**Brinson Diesel Sales & Service**

Owner Name (Corporation, Individual, Public Agency, or Other Entity)

**P. O. Drawer 2514**

Street Address

**Guilford**

County

**High Point, N. C. 27261**

City State

**(919) 884-2229**

Area Code

Telephone Number

**North State Telephone Company**

Facility Name or Company

Facility ID # (if available)

**500 N. Hamilton St.**

Street Address or State Road

**Guilford High Point, N. C. 27260**

County

City

Zip Code

Area Code

Telephone Number

### III. Contact Person

Name

**Carlyle M. Teague**

Job Title

**Contractor**

Telephone Number

**(919) 882-2916**

Insurance Contractor **Teague Pump Co., Inc., PO Box 5512, High Point, N.C. 27262**

(Name)

(Address)

Lab **Burlington Research, PO Box 2481, Burlington, NC 27216-2481**

(Name)

(Address)

### IV. U.S.T. Information

### V. Excavation Condition

### VI. Additional Information

Tank No.	Size in Gallons	Tank Dimensions	Last Contents	Water in Excavation		Free Product		Notable Odor or Visible Soil Contamination	
				Yes	No	Yes	No	Yes	No
1	2000	64" x 12'	Gasoline		X		X	X	

See reverse side of blue copy (owner's copy) for additional information required by N.C. - DEM in the written report and sketch.

### VII. Check List

Check the activities completed.

- ☒ Contact local fire marshal
- ☒ Notify DEM Regional Office before abandonment
- ☒ Drain & flush piping into tank
- ☒ Remove all product and residuals from tank
- ☒ Excavate down to tank
- ☒ Clean and inspect tank
- ☒ Remove drop tube, fill pipe, gauge pipe, vapor recovery tank connections, submersible pumps and other tank fixtures
- ☒ Cap or plug all lines except the vent and fill lines
- ☒ Purge tank of all product & flammable vapors
- ☒ Cut one or more large holes in the tanks
- ☒ Backfill the area

Date Tank Permanently closed: **Jan. 14, 1993**

- ☐ **ABANDONMENT IN PLACE**
- ☐ Fill tank until material overflows tank opening;
- ☐ Plug or cap all openings;
- ☐ Disconnect and cap or remove vent line
- ☐ Solid inert material used - please specify: \_\_\_\_\_

- ☒ **REMOVAL**
- ☒ Create vent hole
- ☒ Label tank
- ☒ Dispose of tank in approved manner
- Final tank destination: **Safeway Tank Dispos.**
- PO Box 358, Colfax, N. C. 27235**

### VIII. Certification and Sign

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete.

Print name and official title of owner or owner's authorized representative

**Teagug Pump Co./Carlyle M Teague**

Signature

*Carlyle M. Teague*

Date Signed

**3-9-93**

W/UST-2


White Copy - Regional Office

Yellow Copy - Central Office

Blue Copy - Owner

HIGH POINT WEST QUADRANGLE  
NORTH CAROLINA  
7.5 MINUTE SERIES (TOPOGRAPHIC)

5056 III SW  
(GUILFORD)





BUILDING

NORTH STATE TELEPHONE CO.  
500 N. HAMILTON ST.  
HIGH POINT, NC 27262

2000  
642  
645  
TANK

PUMP

PROPERTY LINE

12'

168'


12'

83'

NORTH HAMILTON STREET

RICHARDSON STREET

BUILDING



NORTH STATE TELEPHONE CO.  
500 N. HAMILTON ST.  
HIGH POINT, N. C.





Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AAFCO Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

### ANALYTICAL REPORT

CUSTOMER: Teague Pump Company, Inc.  
FACILITY: 904 Old Thomasville Road  
REPORT TO: Mr. Carlyle Teague  
  
SAMPLE: NIS Telephone N. Hamilton St.  
          #1 Grab 1/14/93

WORK ORDER #: 93-01-248-01  
  
COLLECTED: 01/14/93  
RECEIVED: 01/18/93  
REPORTED: 02/02/93

PARAMETER	METHOD	STARTED	ANALYZED	RESULT
TPH-I, Soils	EPA 5030/GC	01/26/93	01/26/93	Attached



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

**EPA METHOD 5030 WITH CALIFORNIA GC METHOD**  
**TOTAL PETROLEUM HYDROCARBONS - TYPE I, IN SOILS**

WORK ORDER #: 93-01-248-01

TPH: <10.0 mg/kg (ppm)

TPH Standard used: Unleaded Gasoline

% Recovery of Standard: 100

% Solids: 67



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

### ANALYTICAL REPORT

CUSTOMER: Teague Pump Company, Inc.  
FACILITY: 904 Old Thomasville Road  
REPORT TO: Mr. Carlyle Teague  
  
SAMPLE: NIS Telephone N. Hamilton St.  
          #2 Grab 1/14/93

WORK ORDER #: 93-01-248-02  
  
COLLECTED: 01/14/93  
RECEIVED: 01/18/93  
REPORTED: 02/02/93

PARAMETER	METHOD	STARTED	ANALYZED	RESULT
TPH-I, Soils	EPA 5030/GC	01/27/93	01/27/93	Attached



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

**EPA METHOD 5030 WITH CALIFORNIA GC METHOD**  
**TOTAL PETROLEUM HYDROCARBONS - TYPE I, IN SOILS**

WORK ORDER #: 93-01-248-02

TPH: <10.0 mg/kg (ppm)

TPH Standard used: Unleaded Gasoline

% Recovery of Standard: 100

% Solids: 79



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDFS Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

### ANALYTICAL REPORT

CUSTOMER: Teague Pump Company, Inc. WORK ORDER #: 93-01-248-03  
FACILITY: 904 Old Thomasville Road  
REPORT TO: Mr. Carlyle Teague COLLECTED: 01/14/93  
RECEIVED: 01/18/93  
SAMPLE: NIS Telephone N. Hamilton St. REPORTED: 02/02/93  
#3 Pump Island Grab 1/14

PARAMETER	METHOD	STARTED	ANALYZED	RESULT
TPH-I, Soils	EPA 5030/GC	01/27/93	01/27/93	Attached



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

**EPA METHOD 5030 WITH CALIFORNIA GC METHOD**  
**TOTAL PETROLEUM HYDROCARBONS - TYPE I, IN SOILS**

WORK ORDER #: **93-01-248-03**

TPH: <10.0 mg/kg (ppm)

TPH Standard used: Unleaded Gasoline

% Recovery of Standard: 100

% Solids: 90



CLIENT: TEA & VE POND CO. INC  
Facility/Site N/S TELEPHONE (N.H.)  
Sampler: (Print) CM TEA & VE (Signature) C

CONTACT PERSON: Carole M. Tracy  
Phone Number: (99) 882-29916

1085

[illegible]

**FOR CLIENT USE:**

Relinquished by: (Signature)	Received by: (Signature)	Date:	Time:
AMT <i>[Signature]</i>			
Shipped by: (Signature)	Received by: (Signature)	Date:	Time:
<i>[Signature]</i>			
Method of Shipment:			

**FOR LAB USE ONLY**

Received in Lab FROM: (Signature)	Received for Lab BY: (Signature)	Date:	Time:
<i>J. J. J.</i>	<i>J. J. J.</i>	1/18/93	11:45
Method of Shipment: <i>Hand</i>			
Sample Integrity Comment:			

## Customer

Date 2/12/93

Seague Pump Co.  
P.O. Box 5512  
High Point, N.C. 27262

Transported by:

# Crunch Backhoe

[illegible]

Total Residue

502

Tanks were disposed in accordance with API 1604, 1987 Removal and Disposal of Used Underground Petroleum Storage Tanks. Residue was disposed in accordance with U.S. EPA Regulations by licensed subcontractor. Lead free scrap steel was recycled by

United Metal Recyclers on 2/5/93

*Sharon W. Young*  
SAFeway TANK DISPOSAL, INC.





Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

### ANALYTICAL REPORT

CUSTOMER: Teague Pump Company, Inc. WORK ORDER #: 93-01-249-01  
FACILITY: 904 Old Thomasville Road  
REPORT TO: Mr. Carlyle Teague COLLECTED: 01/14/93  
RECEIVED: 01/18/93  
SAMPLE: NIS Telephone N. Hamilton St. REPORTED: 02/18/93  
Stockpile Grab 1/14/93

PARAMETER	METHOD	STARTED	ANALYZED	RESULT
EPA 8240, Volatiles, Solid	EPA8240/8260	01/27/93	01/28/93	Attached
EPA Pesticides/PCBs, Solid	EPA 608/8080	01/21/93	01/26/93	Attached
EPA8270, B/N/A Extrs., Solid	EPA8250/8270	01/21/93	02/12/93	Attached
TCLP Filter Test/% Solids	EPA 1311	01/25/93	01/25/93	100/>0.5 % Wet/Dry Wt.
TPH-I, Soils	EPA 5030/GC	01/18/93	01/22/93	Attached
TCLP Arsenic	EPA 206.2	01/26/93	02/02/93	<0.005 mg/L
TCLP Barium	EPA 208.1	01/26/93	02/01/93	0.9 mg/L
TCLP Cadmium	EPA 213.1	01/26/93	01/29/93	<0.005 mg/L
TCLP Chromium	EPA 218.1	01/26/93	02/02/93	<0.05 mg/L
TCLP Lead	EPA 239.1	01/26/93	01/29/93	<0.05 mg/L
TCLP Mercury	EPA 245.2	01/26/93	02/03/93	<0.0002 mg/L
TCLP Selenium	EPA 270.2	01/26/93	02/03/93	<0.005 mg/L
TCLP Silver	EPA 272.1	01/26/93	02/01/93	<0.01 mg/L



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

EPA METHOD 5030 WITH CALIFORNIA GC METHOD  
TOTAL PETROLEUM HYDROCARBONS - TYPE I, IN SOILS

WORK ORDER #: 93-01-249-01

TPH: 379 mg/kg (ppm)

TPH Standard used: Unleaded

% Recovery of Standard: 95

% Solids: 90



**EPA 8240/8260 VOLATILE ORGANICS ANALYSIS BY GC/MS - SOLIDS**

WORK ORDER NUMBER(S): 93-01-249-01

METHOD QUANTITATION LIMIT (MQL): 19,300 x as listed below

##	ANALYTE	MQL	CONC. (ug/Kg)	##
1	ACETONE	100.0	*	1
2	ACROLEIN	10.0	*	2
3	ACRYLONITRILE	10.0	*	3
4	BENZENE	4.0	*	4
5	BROMOBENZENE	4.0	*	5
6	BROMOCHLOROMETHANE	4.0	*	6
7	BROMODICHLOROMETHANE	4.0	*	7
8	BROMOMETHANE	4.0	*	8
9	BUTANONE, 2- (MEK)	30.0	*	9
10	BUTENE, 1,4-DICHLORO-2-	100.0	*	10
11	BUTYLBENZENE, n-	4.0	*	11
12	BUTYLBENZENE, sec-	4.0	*	12
13	BUTYLBENZENE, tert-	4.0	*	13
14	CARBON DISULFIDE	20.0	*	14
15	CARBON TETRACHLORIDE	4.0	*	15
16	CHLOROBENZENE	4.0	*	16
17	CHLOROETHANE	4.0	*	17
18	CHLOROETHYL VINYL ETHER, 2-	4.0	*	18
19	CHLOROMETHANE	4.0	*	19
20	CHLOROTOLUENE, 2-	4.0	*	20
21	CHLOROTOLUENE, 4-	4.0	*	21
22	DIBROMOCHLOROMETHANE	4.0	*	22
23	DIBROMOETHANE, 1,2- (EDB)	4.0	*	23
24	DIBROMOMETHANE	4.0	*	24
25	DICHLOROBENZENE, 1,2-	4.0	*	25
26	DICHLOROBENZENE, 1,3-	4.0	*	26
27	DICHLOROBENZENE, 1,4-	4.0	*	27
28	DICHLORODIFLUOROMETHANE	100.0	*	28
29	DICHLOROETHANE, 1,1-	4.0	*	29
30	DICHLOROETHANE, 1,2-	4.0	*	30
31	DICHLOROETHENE, 1,1-	4.0	*	31
32	DICHLOROETHENE, cis-1,2-	4.0	*	32
33	DICHLOROETHENE, trans-1,2-	4.0	*	33
34	DICHLOROMETHANE (METHYLENE CHLORIDE)	10.0	*	34
35	DICHLOROPROPANE, 1,2-	4.0	*	35
36	DICHLOROPROPANE, 1,3-	4.0	*	36
37	DICHLOROPROPANE, 2,2-	4.0	*	37
38	DICHLOROPROPENE, 1,1-	4.0	*	38
39	DICHLOROPROPENE, cis-1,3-	4.0	*	39
40	DICHLOROPROPENE, trans-1,3-	4.0	*	40
41	ETHYLBENZENE	4.0	*	41
42	HEXACHLOROBUTADIENE	4.0	*	42



PAGE 2 OF 2

WORK ORDER NUMBER(S): 93-01-249-01

##	ANALYTE	MQL	CONC. (ug/Kg)	##
43	HEXANONE, 2- (MBK)	20.0	*	43
44	IODOMETHANE	4.0	*	44
45	ISOPROPYLBENZENE (CUMENE)	4.0	*	45
46	ISOPROPYLTOLUENE, para-	4.0	*	46
47	NAPHTHALENE	4.0	*	47
48	PENTANONE, 4-METHYL-2- (MIBK)	20.0	*	48
49	PROPANE, 1,2-DIBROMO-3-CHLORO- (DBCP)	4.0	*	49
50	PROPYLBENZENE, n-	4.0	*	50
51	STYRENE	10.0	*	51
52	TETRACHLOROETHANE, 1,1,1,2-	4.0	*	52
53	TETRACHLOROETHANE, 1,1,2,2-	4.0	*	53
54	TETRACHLOROETHENE	4.0	*	54
55	TOLUENE	4.0	*	55
56	TRIBROMOMETHANE (BROMOFORM)	4.0	*	56
57	TRICHLOROBENZENE, 1,2,3-	4.0	*	57
58	TRICHLOROBENZENE, 1,2,4-	4.0	*	58
59	TRICHLOROETHANE, 1,1,1-	4.0	*	59
60	TRICHLOROETHANE, 1,1,2-	4.0	*	60
61	TRICHLOROETHENE	4.0	*	61
62	TRICHLOROFLUOROMETHANE	4.0	*	62
63	TRICHLOROMETHANE (CHLOROFORM)	4.0	*	63
64	TRICHLOROPROPANE, 1,2,3-	4.0	*	64
65	TRIMETHYLBENZENE, 1,2,4-	4.0	*	65
66	TRIMETHYLBENZENE, 1,3,5-	4.0	*	66
67	VINYL ACETATE	30.0	*	67
68	VINYL CHLORIDE	4.0	*	68
69	XYLENES (TOTAL)	4.0	*	69

\*BELOW QUANTITATION LIMITS EXCEPT WHERE NOTED

8240VOA.SOL

Revised 6/91



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

**EPA METHOD 8250/8270 ACID EXTRACTABLES - SOLIDS**

WORK ORDER NUMBER(S): 93-01-249-01

METHOD QUANTITATION LIMIT (MQL) IN ug/Kg : 1.1 x as listed below

##	ANALYTE	MQL	CONCENTRATION	##
1	BENZYL ALCOHOL	500	ND	1
2	2-CHLOROPHENOL	200	ND	2
3	4-CHLORO-3-METHYLPHENOL (p-Chloro-m-Cresol)	200	ND	3
4	CRESOLS, TOTAL (Methyl Phenols)	200	ND	4
5	2,4-DICHLOROPHENOL	200	ND	5
6	2,6-DICHLOROPHENOL	1000	ND	6
7	2,4-DIMETHYLPHENOL	200	ND	7
8	2,4-DINITROPHENOL	1000	ND	8
9	2-METHYL-4,6-DINITROPHENOL (4,6-Dinitro-o-Cresol)	1000	ND	9
10	2-NITROPHENOL	200	ND	10
11	4-NITROPHENOL	200	ND	11
12	PENTACHLOROPHENOL	200	ND	12
13	PHENOL	200	ND	13
14	2,4,6-TRICHLOROPHENOL	200	ND	14
15	2,4,5-TRICHLOROPHENOL	500	ND	15
16	2,3,4,6-TETRACHLOROPHENOL	1000	ND	16

ND = NONE DETECTED EXCEPT WHERE NOTED

\* = BELOW QUANTITATION LIMIT, ESTIMATED CONCENTRATION IN PARENTHESES

8270AE.SOL  
Revised 5/92



**EPA 8250/8270 BASE/NEUTRAL EXTRACTABLES - SOLIDS**

WORK ORDER #: 93-01-249-01

METHOD QUANTITATION LIMIT (MQL) IN ug/Kg: 1.1 x as listed below

##	ANALYTE	MQL	CONC.	##
1	ACENAPHTHENE	200	ND	1
2	ACENAPHTHYLENE	200	ND	2
3	ACETOPHENONE	200	ND	3
4	AMINOBIIPHENYL, 4-	400	ND	4
5	ANILINE	200	ND	5
6	ANTHRACENE	200	ND	6
7	BENZ (a) ANTHRACENE	200	ND	7
8	BENZIDINE	1000	ND	8
9	BENZO (a) PYRENE	200	ND	9
10	BENZO (b) FLUORANTHENE	200	ND	10
11	BENZO (ghi) PERYLENE	200	ND	11
12	BENZO (k) FLUORANTHENE	200	ND	12
13	BIS (2-CHLOROETHOXY) METHANE	200	ND	13
14	BIS (2-CHLOROETHYL) ETHER	200	ND	14
15	BIS (2-CHLOROISOPROPYL) ETHER	200	ND	15
16	BIS (2-ETHYLHEXYL) PHTHALATE	200	ND	16
17	BROMOPHENYL PHENYL ETHER, 4-	200	ND	17
18	BUTYLBENZYL PHTHALATE	200	ND	18
19	CHLOROANILINE, 4-	200	ND	19
20	CHLORONAPHTHALENE, 2-	200	ND	20
21	CHLOROPHENYL PHENYL ETHER, 4-	200	ND	21
22	CHRYSENE	200	ND	22
23	DI-n-BUTYL PHTHALATE	200	ND	23
24	DI-n-OCTYL PHTHALATE	200	ND	24
25	DIBENZ (a,h) ANTHRACENE	200	ND	25
26	DIBENZOFURAN	200	ND	26
27	DICHLOROBENZENE, 1,2-	200	ND	27
28	DICHLOROBENZENE, 1,3-	200	ND	28
29	DICHLOROBENZENE, 1,4-	200	ND	29
30	DICHLOROBENZIDINE, 3,3'-	400	ND	30
31	DIETHYL PHTHALATE	200	ND	31
32	DIMETHYL PHTHALATE	200	ND	32
33	DIMETHYLAMINOAZOBENZENE, 4-	400	ND	33
34	DIMETHYLBENZO(a)ANTHRACENE, 7,12-	400	ND	34
35	DIMETHYLPHENETHYLAMINE, a,a-	400	ND	35
36	DINITROTOLUENE, 2,6-	200	ND	36
37	DINITROTOLUENE, 2,4-	200	ND	37
38	DIPHENYLAMINE	200	ND	38
39	DIPHENYLHYDRAZINE, 1,2-	200	ND	39
40	ETHYL METHANESULFONATE	500	ND	40



(8270 BN ANALYTES CONTINUED)

WORK ORDER #: 93-01-249-01

##	ANALYTE	MQL	CONC.	##
41	FLUORANTHENE	200	ND	41
42	FLUORENE	200	ND	42
43	HEXACHLOROBENZENE	200	ND	43
44	HEXACHLOROBUTADIENE	200	ND	44
45	HEXACHLOROCYCLOPENTADIENE	200	ND	45
46	HEXACHLOROETHANE	200	ND	46
47	HEXACHLOROPROPENE	200	ND	47
48	INDENO (1,2,3-cd) PYRENE	200	ND	48
49	ISOPHORONE	200	ND	49
50	METHYL CHOLANTHRENE, 3-	400	ND	50
51	METHYL METHNANESULFONATE	400	ND	51
52	METHYL NAPHTHALENE, 2-	200	1,260	52
53	N-NITROSODI-n-BUTYLAMINE	200	ND	53
54	N-NITROSODI-n-PROPYLAMINE	200	ND	54
55	N-NITROSODIETHYLAMINE	500	ND	55
56	N-NITROSODIMETHYLAMINE	400	ND	56
57	N-NITROSODIPHENYLAMINE	500	ND	57
58	N-NITROSOPIPERIDINE	200	ND	58
59	N-NITROSPYROLIDINE	500	ND	59
60	NAPHTHYLAMINE, 1- (alpha)	200	ND	60
61	NAPHTHYLAMINE, 2- (beta)	200	ND	61
62	NAPHTHALENE	200	ND	62
63	NITRO ANILINE, 2-	400	ND	63
64	NITRO ANILINE, 3-	400	ND	64
65	NITRO ANILINE, 4-	400	ND	65
66	NITRO-o-TOLUIDINE, 5-	200	ND	66
67	NITROBENZENE	200	ND	67
68	PENTACHLOROBENZENE	200	ND	68
69	PENTRACHLORONITROBENZENE	200	ND	69
70	PHENACETIN	400	ND	70
71	PHENANTHRENE	200	ND	71
72	PICOLENE, 2-	400	ND	72
73	PRONAMIDE	500	ND	73
74	PYRENE	200	ND	74
75	PYRIDINE	200	ND	75
76	TETRACHLOROBENZENE, 1,2,4,5-	200	ND	76
77	TRICHLOROBENZENE, 1,2,4-	200	ND	77

ND = NONE DETECTED

\* = BELOW QUANTITATION LIMIT, ESTIMATED AMOUNT IN PARENTHESES



Analytical Services • Aquatic Bioassay Testing • Aquatic Toxicity Reduction Evaluations  
AATCC Testing Services • NPDES Testing • Reporting & Data Handling Services  
PMN Aquatic Bioassay Evaluations

Post Office Box 2481 • 615 Huffman Mill Road • (919) 584-5564 • Burlington, NC 27216-2481

### TCLP METALS

WORK ORDER #: 93-01-249-01


METHOD DETECTION LIMIT (MDL) IN mg/L: See Below

ANALYTE	EPA METHOD	REGULATORY LEVEL (mg/L)		MDL	CONC. (mg/L)
		EPA	NCDEM LANDFILL		
1 ARSENIC	206.2	5.0	0.50	0.005	*
2 BARIUM	208.1	100.0	10.00	0.10	0.9
3 CADMIUM	213.1	1.0	0.10	0.005	*
4 CHROMIUM	218.1	5.0	0.50	0.05	*
5 LEAD	239.1	5.0	0.50	0.05	*
6 MERCURY	245.2	0.2	0.02	0.0002	*
7 SELENIUM	270.2	1.0	0.1	0.005	*
8 SILVER	272.1	5.0	0.5	0.01	*

\* Below Method Detection Limit (MDL).  
Results are for amounts found in TCLP extract.

tolpmtnc.frm  
Revised 5/92





# SPECIAL TRANSPORTATION MANIFEST

No. 008181

## GENERATOR INFORMATION

Generator: North State Telephone  
500 N. Hamilton  
High Point, NC 27262

Project: # High Point Job  
Phone: (919) 885-4781  
Contact: Carlyle Teague

I certify that the materials being shipped under this special transportation manifest are properly described, classified, packaged, marked, labeled, and are in proper condition for transported in commerce under the applicable regulations of the state, U.S. Department of Transportation, and the U.S. Environmental Protection Agency. I further certify that this material is not a "hazardous waste", and has been delivered to the transporter designated below, for shipment to the treatment of disposal facility as indicated on this manifest document.

Generator Signature: Carlyle H. Teague

Date: 3-2-93

Material Description	Contaminant	Quantity	Unit
RCRA Non-Hazardous Petroleum Contaminated Soil	Gasoline	Gross <u>56700</u>	LBS.
		Tare <u>20526</u>	
		Net <u>36186</u>	

## TRANSPORTER INFORMATION

Transporter: Danny Kennedy Trucking  
Route 6  
Thomasville NC 27360

Date: \_\_\_\_\_  
Phone: (919) 882-0701  
Contact: Danny Kennedy

As the transporter I certify that the materials described above being shipped under this special transportation manifest are properly classified, packaged, labeled, secured, and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate

Transporter Signature: Daniel C. Kennedy

Date: 3-2-93

## FACILITY INFORMATION

Cunningham Brick Company Inc.  
Route 2, Cunningham Brick Road  
Thomasville, NC 27360

Date: \_\_\_\_\_  
Phone: (919) 472-6181  
Contact: Richard Cunningham

I certify that the transporter has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: Richard Cunningham

Date: 3-2-93

White/Facility    Canary/Return to Generator    Pink/Transporter    Goldenrod/Generator

# SPECIAL TRANSPORTATION MANIFEST

No. 008182

## GENERATOR INFORMATION

Generator: North State Telephone  
500 N. Hamilton  
High Point, NC 27262

Project:# High Point Job  
Phone: (919) 885-4781  
Contact: Carlyle Teague

I certify that the materials being shipped under this special transportation manifest are properly described, classified, packaged, marked, labeled, and are in proper condition for transported in commerce under the applicable regulations of the state, U.S. Department of Transportation, and the U.S. Environmental Protection Agency. I further certify that this material is not a "hazardous waste", and has been delivered to the transporter designated below, for shipment to the treatment of disposal facility as indicated on this manifest document.

Generator Signature: Carlyle M. TeagueDate: 3-2-93

Material Description	Contaminant	Quantity	Unit
RCRA Non-Hazardous Petroleum Contaminated Soil	Gasoline	Gross <u>49666</u>	LBS.
		Tare <u>21520</u>	
		Net <u>28146</u>	

## TRANSPORTER INFORMATION

Transporter: Danny Kennedy Trucking  
Route 6  
Thomasville NC 27360

Date: \_\_\_\_\_  
Phone: (919) 882-0701  
Contact: Danny Kennedy

As the transporter I certify that the materials described above being shipped under this special transportation manifest are properly classified, packaged, labeled, secured, and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate

Transporter Signature: Daniel C. KennedyDate: 3-2-93

## FACILITY INFORMATION

Cunningham Brick Company Inc.  
Route 2, Cunningham Brick Road  
Thomasville, NC 27360

Date: \_\_\_\_\_  
Phone: (919) 472-6181  
Contact: Richard Cunningham

I certify that the transporter has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: Richard CunninghamDate: 3-2-93

White/Facility    Canary/Return to Generator    Pink/Transporter    Goldenrod/Generator

# SPECIAL TRANSPORTATION MANIFEST

No. 008183

## GENERATOR INFORMATION

Generator: North State Telephone  
500 N. Hamilton  
High Point, NC 27262

Project: # High Point Job  
Phone: (919) 885-4781  
Contact: Carlyle Teague

I certify that the materials being shipped under this special transportation manifest are properly described, classified, packaged, marked, labeled, and are in proper condition for transported in commerce under the applicable regulations of the state, U.S. Department of Transportation, and the U.S. Environmental Protection Agency. I further certify that this material is not a "hazardous waste", and has been delivered to the transporter designated below, for shipment to the treatment of disposal facility as indicated on this manifest document.

Generator Signature: Carlyle M. Teague Date: 3-2-93

Material Description	Contaminant	Quantity	Unit
RCRA Non-Hazardous Petroleum Contaminated Soil	Gasoline	Gross <u>52500</u> Tare <u>20520</u> Net <u>31980</u>	LBS.

## TRANSPORTER INFORMATION

Transporter: Danny Kennedy Trucking  
Route 6  
Thomasville NC 27360

Date: \_\_\_\_\_  
Phone: (919) 882-0701  
Contact: Danny Kennedy

As the transporter I certify that the materials described above being shipped under this special transportation manifest are properly classified, packaged, labeled, secured, and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate

Transporter Signature: Daniel C. Kennedy Date: \_\_\_\_\_

## FACILITY INFORMATION

Cunningham Brick Company Inc.  
Route 2, Cunningham Brick Road  
Thomasville, NC 27360

Date: \_\_\_\_\_  
Phone: (919) 472-6181  
Contact: Richard Cunningham

I certify that the transporter has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: [Signature] Date: 3-2-93

White/Facility    Canary/Return to Generator    Pink/Transporter    Goldenrod/Generator

# SPECIAL TRANSPORTATION MANIFEST

No. 008184

## GENERATOR INFORMATION

Generator: North State Telephone  
500 N. Hamilton  
High Point, NC 27262

Project:# High Point Job  
Phone: (919) 885-4781  
Contact: Carlyle Teague

I certify that the materials being shipped under this special transportation manifest are properly described, classified, packaged, marked, labeled, and are in proper condition for transported in commerce under the applicable regulations of the state, U.S. Department of Transportation, and the U.S. Environmental Protection Agency. I further certify that this material is not a "hazardous waste", and has been delivered to the transporter designated below, for shipment to the treatment of disposal facility as indicated on this manifest document.

Generator Signature: Carlyle M. TeagueDate: 3-2-93

Material Description	Contaminant	Quantity	Unit
RCRA Non-Hazardous Petroleum Contaminated Soil	Gasoline	Gross <u>50860</u>	LBS.
		Tare <u>20550</u>	
		Net <u>30340</u>	

## TRANSPORTER INFORMATION

Transporter: Danny Kennedy Trucking  
Route 6  
Thomasville NC 27360

Date: \_\_\_\_\_  
Phone: (919) 882-0701  
Contact: Danny Kennedy

As the transporter I certify that the materials described above being shipped under this special transportation manifest are properly classified, packaged, labeled, secured, and are in proper condition for transport in commerce under the applicable regulations governing transportation, and I hereby receive this material for delivery to the facility designate

Transporter Signature: Daniel C. Kennedy

Date: \_\_\_\_\_

## FACILITY INFORMATION

Cunningham Brick Company Inc.  
Route 2, Cunningham Brick Road  
Thomasville, NC 27360

Date: \_\_\_\_\_  
Phone: (919) 472-6181  
Contact: Richard Cunningham

I certify that the transporter has delivered the materials described above to this facility, and I hereby accept this material for treatment and/or disposal in a manner that has been authorized by the State of North Carolina.

Facility Signature: Richard CunninghamDate: 3-3-93

White/Facility

Canary/Return to Generator

Pink/Transporter

Goldenrod/Generator